



Atrium Outdoor

kvadrat

Atrium Outdoor




981



901




451




201




631



931



951



541




241




131




781



751




181




231



351



701



Atrium Outdoor

Abrasion

Approx. 50.000 Martindale rubs, EN ISO 12947

Pilling

Note 5, EN ISO 12945

Seam slippage

Warp: 3.0 mm Weft: 2.0 mm

Colour fastness to light

Note 6-7 ISO 105-B02

Colour fastness to weathering

Note 7 ISO 105-B04

Colour fastness to chlorine water

Note 5 ISO 105-E03

Colour fastness to sea water

Note 5 ISO 105-E02

Fastness to rubbing

Dry note 4-5 ISO 105-X12

Wet note 4-5 ISO 105-X12

Spray test (water)

Note 3 EN 4920

Flame resistance

AS/NZS 3837 class 1

BS 5852 Crib 5

BS 7176 Low Hazard

DIN 4102 B1

EN 1021-1/2

EN 13501, B1, s1-d0

IMO FTP Code 2010:Part 5

IMO FTP Code 2010:Part 8

NF D 60 013

NF P 92 507 M1

NFPA 701

UNI 9175 1IM

UNI 9177 Classe 1

ÔNORM B1/Q1

SN 198 898 5.2

UNI 9175 1IM

US Cal. Bull. 117-2013

Atrium Outdoor

Design: Patricia Urquiola

Type: Outdoor upholstery, upholstery

In accordance with California AB2998 or similar regulation in other states of North America, this product should not be used for upholstery in USA

Composition: 100% Trevira CS

PFAS-free water repellent finish

Yarn type: Filament

Binding: Jacquard

Width: Approx. 150 cm, 59 inches

Weight: Approx. 510 g/lin.m, 16.4 oz/ly

Repeat: None

Colour difference may occur

Cleaning: Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Washable at 30°C if loose covers. Drip drying. Shrinkage app. 2%.

Mount in moist condition.

Mildew growth is not promoted by the textile but mildew may grow on dirt and other foreign substances if not removed.

Keep the textile dry to avoid mildew and spores to stick.

Disinfection, see kvadrat.dk



10 year
warranty



kvadrat

Quality benefits

Complies with Möbelfakta
Suitable for outdoor use
Resistance to chlorine and seawater
Resistance to weathering and mildew
Very good abrasion
Very good lightfastness
Flame retardant
Washable

Environmental benefits

Follow the EU Ecolabel dye restrictions incl. AZO dye
and heavy metal restrictions
No use of halogen-based flame retardants (incl. brominated
and chlorinated)
Free of intentionally added PFAS
Mono-material designed for circularity
REACH compliant
Californian Proposition 65 list compliant
LBC Red list compliant

Green building certificates

Greenguard Gold: Low chemical emission
Environmental Product Declaration (EPD): Based on a LCA
following EN 15804 and follow the standard of ISO 14040
Health Product Declaration (HPD): Declaring textile content
and substance

Country of origin

Holland

Launch

2021

Warranty

10 years. See terms and conditions on [kvadrat.dk](https://www.kvadrat.dk)

Kvadrat packaging and cardboard is recyclable. Cardboard
material is FSC certified and / or contains recycled content.

For further information
[kvadrat.dk](https://www.kvadrat.dk)